

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1833	(@pd<"20021202" OR @ad<"20021202") AND ((access near3 (transaction\$1 or operation\$1 or request\$1)) near5 arbitrat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 17:30
L3	37	(@pd<"20021202" OR @ad<"20021202") AND ((access near3 (transaction\$1 or operation\$1 or request\$1)) near5 arbitrat\$3) and (timeslot\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 18:05
L4	27	(@pd<"20021202" OR @ad<"20021202") AND (711/158. ccls.) AND (high\$3 near2 latency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 18:06
L5	33	(@pd<"20021202" OR @ad<"20021202") AND (711/158. ccls.) AND ((high\$3 or larg\$3 or big\$4) near2 latency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 18:12
L6	328	(@pd<"20021202" OR @ad<"20021202") AND (priorit\$5 near3 (high\$3 or big\$4 or large\$2 or long\$3) near2 latency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:29
L7	0	(@pd<"20021202" OR @ad<"20021202") AND ((priorit\$5 near3 (high\$3 or big\$4 or large\$2 or long\$3) near2 latency) SAME timeslot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 18:15
L8	4543	(@pd<"20021202" OR @ad<"20021202") AND (access AND (arbit\$6 or manage\$4)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 19:15

## EAST Search History

L9	43	("3350694"   "4521851"   "4774659"   "4791554"   "4809217"   "5008808"   "5140683"   "5583134"   "5603063"   "5613155"   "5666551"   "5732236"   "5787298"   "5796413"   "5809278"   "5812799"   "5822772").PN. OR ("6112265").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/29 18:46
L10	2	"5937205".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 19:17
L11	2	"5606703".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 19:17
L12	349	(@pd<"20021202" OR @ad<"20021202") AND (priorit\$5) AND ((queue or buffer) WITH (access near1 (request\$1 or command\$1 or transaction\$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1)) ) AND (current near2 pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 19:24
L13	154	(@pd<"20021202" OR @ad<"20021202") AND (priorit\$5) AND ((queue or buffer) WITH (access near1 (request\$1 or command\$1 or transaction\$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1)) ) AND ((current near2 pointer) SAME (queue or buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:15
L14	6	(@pd<"20021202" OR @ad<"20021202") AND (priorit\$5) AND ((queue or buffer) WITH (access near1 (request\$1 or command\$1 or transaction\$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1)) ) AND (current near2 pointer) AND ((future or lookahead or newest or "most-recent" or "most-recently" or (most adj recent\$2)) near2 pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 19:48

## EAST Search History

L15	522	10/727157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:05
L17	267	(@pd<"20021202" OR @ad<"20021202") AND ( ((time adj slot) or timeslot) WITH ((access near1 (request\$1 or command\$1 or transaction\$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1))) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:33
L18	88	(@pd<"20021202" OR @ad<"20021202") AND ( ((time adj slot) or timeslot) WITH ((access near1 (request\$1 or command\$1 or transaction\$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1))) ) AND (priorit\$5 near6 (access\$2 or request\$1 or command\$1 or transaction\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:35
L19	29	(@pd<"20021202" OR @ad<"20021202") AND ( ((time adj slot) or timeslot) WITH ((access near1 (request\$1 or command\$1 or transaction\$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1))) ) AND (priorit\$5 near6 (access\$2 or request\$1 or command\$1 or transaction\$1)) AND ((initiat\$3 or execut\$3 or start\$3 or perform\$3) WITH (access or request\$1 or command\$1 or transaction\$1) WITH (earl\$2 or sooner or next))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:30
L20	21	(@pd<"20021202" OR @ad<"20021202") AND ((high\$2 adj priorit\$5) WITH ((high\$3 or big\$3 or large\$2 or long\$2) adj1 latency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:17
L22	5	(@pd<"20021202" OR @ad<"20021202") AND ( (initiat\$3 or execut\$3 or start\$3 or perform\$3) near5 ("high latency" or slower) near2 (entr\$3 or command\$1 or transaction\$1 or access\$2 or request\$1) ) near6 before)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:33

## EAST Search History

L23	0	(@pd<"20021202" OR @ad<"20021202") AND ( (initiat\$3 or execut\$3 or start\$3 or perform\$3) near5 (((high\$3 or larg\$3 or big\$4) near2 latency)) near2 (entr\$3 or command\$1 or transaction\$1 or access\$2 or request\$1) ) near6 before)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:33
L24	2	(@pd<"20021202" OR @ad<"20021202") AND ((priority near2 granted) near5 (limited))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/29 22:53
L25	61	(@pd<"20021202" OR @ad<"20021202") AND ((priority near2 (granted or given)) near5 (limited))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/29 22:55
L27	11	(@pd<"20021202" OR @ad<"20021202") AND ((priority near2 (granted or given)) near5 (certain near2 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/29 22:55
L28	1	(@pd<"20021202" OR @ad<"20021202") AND ((priority near2 (granted or given)) near5 (limited near2 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/29 22:55
S1	2	US-20050177633-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:05
S2	4	"6354689".pn. OR US-20020060707-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 15:22

## EAST Search History

S3	5	(@pd<"20021202" OR @ad<"20021202") AND (timeslot near3 arbitration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 16:58
S4	795	711/158.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 18:15
S5	15798	(@pd<"20021202" OR @ad<"20021202") AND ((access or transaction or operation or request) near5 queue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 17:38
S6	269	(@pd<"20021202" OR @ad<"20021202") AND ((access or transaction or operation or request) near5 queue near5 arbitrat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 17:26
S7	2	"6684301".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 17:40
S8	5	("5377341"   "5832304"   "6202101"   "6356972").PN. OR ("6684301").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/28 17:43
S9	0	(@pd<"20021202" OR @ad<"20021202") AND ((out adj "of" adj order adj execution) or "out-of-order-execution") AND (access near3 (requests or commands)) AND ((lookahead or future or "n+1") near2 pointer\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/29 22:34

## EAST Search History

S10	0	(@pd<"20021202" OR @ad<"20021202") AND ((out adj "of" adj order adj execution) or "out-of-order-execution") AND (access near3 (requests or commands)) AND (pointer\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/28 18:12
S11	586	(@pd<"20021202" OR @ad<"20021202") AND (711/158. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 18:05